



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/762,991	01/21/2004	Julio P. Focaracci	5280	5993

22896 7590 10/13/2006
MILA KASAN, PATENT DEPT.
APPLIED BIOSYSTEMS
850 LINCOLN CENTRE DRIVE
FOSTER CITY, CA 94404

EXAMINER

SISSON, BRADLEY L

ART UNIT PAPER NUMBER

1634

DATE MAILED: 10/13/2006

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary

Application No.

10/762,991

Applicant(s)

FOCARACCI ET AL.

Examiner

Bradley L. Sisson

Art Unit

1634

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 28 September 2006.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-32 is/are pending in the application.
- 4a) Of the above claim(s) 7-22 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1-6 and 23-32 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
- Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
- Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
- ☐ Certified copies of the priority documents have been received.
 - ☐ Certified copies of the priority documents have been received in Application No. _____.
 - ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- ☐ Notice of References Cited (PTO-892)
- ☐ Notice of Draftsperson's Patent Drawing Review (PTO-948)
- ☒ Information Disclosure Statement(s) (PTO/SB/08)
Paper No(s)/Mail Date 3/05 & 1/06.
- ☐ Interview Summary (PTO-413)
Paper No(s)/Mail Date. _____.
- ☐ Notice of Informal Patent Application
- ☐ Other: _____.

DETAILED ACTION

Election/Restrictions

1. Applicant's election without traverse of Group I, claims 1-6, in the reply filed on 26 September 2006 is acknowledged.
2. Claims 7-22 have been withdrawn from further consideration pursuant to 37 CFR 1.142(b) as being drawn to a nonelected invention, there being no allowable generic or linking claim. Election was made **without** traverse in the reply filed on 26 September 2006.

Claim Rejections - 35 USC § 112

3. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

4. Claims 1-6 and 23-32 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the enablement requirement. The claim(s) contains subject matter that was not described in the specification in such a way as to enable one skilled in the art to which it pertains, or with which it is most nearly connected, to make and/or use the invention. As set forth in *Enzo Biochem Inc., v. Calgene, Inc.* (CAFC, 1999) 52 USPQ2d at 1135, bridging to 1136:

To be enabling, the specification of a patent must teach those skilled in the art how to make and use the full scope of the claimed invention without 'undue experimentation.' " *Genentech, Inc. v. Novo Nordisk, A/S*, 108 F.3d 1361, 1365, 42 USPQ2d 1001, 1004 (Fed. Cir. 1997) (quoting *In re Wright*, 999 F.2d 1557, 1561, 27 USPQ2d 1510, 1513 (Fed. Cir. 1993)). Whether claims are sufficiently enabled by a disclosure in a specification is determined as of the date that the patent application was first filed, see *Hybritech, Inc. v. Monoclonal Antibodies, Inc.*, 802 F.2d 1367, 1384, 231 USPQ 81, 94 (Fed. Cir. 1986).... We have held that a patent specification complies with the statute

Art Unit: 1634

even if a "reasonable" amount of routine experimentation is required in order to practice a claimed invention, but that such experimentation must not be "undue." See, e.g., *Wands*, 858 F.2d at 736-37, 8 USPQ2d at 1404 ("Enablement is not precluded by the necessity for some experimentation However, experimentation needed to practice the invention must not be undue experimentation. The key word is 'undue,' not 'experimentation.'") (footnotes, citations, and internal quotation marks omitted). In *In re Wands*, we set forth a number of factors which a court may consider in determining whether a disclosure would require undue experimentation. These factors were set forth as follows: (1) the quantity of experimentation necessary, (2) the amount of direction or guidance presented, (3) the presence or absence of working examples, (4) the nature of the invention, (5) the state of the prior art, (6) the relative skill of those in the art, (7) the predictability or unpredictability of the art, and (8) the breadth of the claims. *Id.* at 737, 8 USPQ2d at 1404. We have also noted that all of the factors need not be reviewed when determining whether a disclosure is enabling. See *Amgen, Inc. v. Chugai Pharm. Co., Ltd.*, 927 F.2d 1200, 1213, 18 USPQ2d 1016, 1027 (Fed. Cir. 1991) (noting that the *Wands* factors "are illustrative, not mandatory. What is relevant depends on the facts.").

The quantity of experimentation necessary.

The quantity of experimentation is on the order of several man-years.

The amount of direction or guidance presented.

The guidance provided is very limited. A review of the disclosure finds numerous forward-looking statements as to what could be possible, and what one may be able of achieving, however, the specification is essentially silent as to just how any size moat in any porous material, is to be fabricated. It is clear that applicant has contemplated the use of a laser to achieve this end, however, in the context of claim 2, here is to be no "hearing" [*sic*, heating]. Clearly, the use of a laser would, depending upon the composition of the porous substrate, be either melted (collapsed) or ablated. Clearly, such speaks to the heating of the porous layer, something that is proscribed by claim 2.

Art Unit: 1634

The presence or absence of working examples.

There are no examples.

In addition to not fully enabling the method of making the "substrate for hybridization," the specification is silent as to how it is to be used, assuming that it could be produced. The art has progressed to the point that several issues of enablement are known to exist. Zhang et al.,

Bioinformatics, Vol. 19, No. 1, 2003, page 14, states:

It is widely recognized that the hybridization process is prone to errors and that the future of DNA sequencing by hybridization is predicated on the ability to successfully cope with such errors. However, the occurrence of hybridization errors results in the computational difficulty of the reconstruction of DNA sequencing by hybridization. The reconstruction problem of DNA sequencing by hybridization with errors is a strongly NP-hard problem. So far the problem has not been solved well.

Chan (US Patent Application Publication US 2002/0119455 A1):

[0018] In practice, Probe Up methods have been used to generate sequences of about 100 base pairs. Imperfect hybridization has led to difficulties in generating adequate sequence. Error in hybridization is amplified many times. A 1% error rate reduces the maximum length that can be sequenced by at least 10%. Thus if 1% of 65,536 oligonucleotides gave false positive hybridization signals when hybridizing to a 200-mer DNA target, 75% of the scored "hybridizations" would be false (Bains, 1997). Sequence determination would be impossible in such an instance. The conclusion is that hybridization must be extremely effective in order to generate reasonable data. Furthermore, sequencing by hybridization also encounters problems when there are repeats in sequences that are one base less than the length of the probe. When such sequences are present, multiple possible sequences are compatible with the hybridization data. (Emphasis added.)

As set forth in Carrico, (US Patent 5,200,313) the extent and specificity of hybridization is affected by the following principal conditions:

- The purity of the nucleic acid preparation.

- Base compositions of the probe - G-C base pairs will exhibit greater thermal stability than A-T or A-U base pairs. Thus, hybridizations involving higher G-C content will be stable at higher temperatures.
- Length of homologous base sequences- any short sequence of bases (e.g., less than 6 bases), has a high degree of probability of being present in many nucleic acids. Thus, little or no specificity can be attained in hybridizations involving such short sequences. From a practical standpoint, a homologous probe sequence will often be between 300 and 1000 nucleotides.
- Ionic strength- the rate of reannealing increases as the ionic strength of the incubation solution increases. Thermal stability of hybrids also increases.
- Incubation temperature- Optimal reannealing occurs at a temperature about 25 - 30 °C below the melting temperature for a given duplex. Incubation at temperatures significantly below the optimum allows less related base sequences to hybridize.
- Nucleic acid concentration and incubation time- Normally, to drive the reaction towards hybridization, one of the hybridizable sample nucleic acid or probe nucleic acid will be present in excess, usually 100 fold excess or greater.
- Denaturing reagents- the presence of hydrogen bond-disrupting agents, such as formaldehyde and urea, increases the stringency of hybridization.
- Incubation- the longer the incubation time, the more complete will be the hybridization.
- Volume exclusion agents- the presence of these agents, as exemplified by dextran and dextran sulfate, are thought to increase the effective concentrations of the hybridizing elements thereby increasing the rate of resulting hybridizations.

Art Unit: 1634

- Further, subjecting the resultant hybridization product to repeated washes or rinses in heated solutions will remove non-hybridized probe. The use of solutions of decreasing ionic strength, and increasing temperature, e.g., 0.1X SSC for 30 minutes at 65 °C, will, with increasing effectiveness, remove non-fully complementary hybridization products.

With the specification being essentially silent as to how the device is to be made and used, it appears that applicant is attempting to shift the burden of enablement from self to the public.

The situation at hand is analogous to that in *Genentech v. Novo Nordisk A/S* 42 USPQ2d 1001.

As set forth in the decision of the Court:

“ [T]o be enabling, the specification of a patent must teach those skilled in the art how to make and use the full scope of the claimed invention without undue experimentation.’ *In re Wright* 999 F.2d 1557, 1561, 27 USPQ2d 1510, 1513 (Fed. Cir. 1993); *see also Amgen Inc. v. Chugai Pharms. Co.*, 927 F. 2d 1200, 1212, 18 USPQ2d 1016, 1026 (Fed Cir. 1991); *In re Fisher*, 427 F. 2d 833, 166 USPQ 18, 24 (CCPA 1970) (‘[T]he scope of the claims must bear a reasonable correlation to the scope of enablement provided by the specification to persons of ordinary skill in the art.’).

“Patent protection is granted in return for an enabling disclosure of an invention, not for vague intimations of general ideas that may or may not be workable. *See Brenner v. Manson*, 383 U.S. 519, 536, 148 USPQ 689, 696 (1966) (stating, in context of the utility requirement, that ‘a patent is not a hunting license. It is not a reward for the search, but compensation for its successful conclusion.’) Tossing out the mere germ of an idea does not constitute enabling disclosure. While every aspect of a generic claim certainly need not have been carried out by an inventor, or exemplified in the specification, reasonable detail must be provided in order to enable members of the public to understand and carry out the invention.

“It is true . . . that a specification need not disclose what is well known in the art. *See, e.g., Hybritech, Inc. v. Monoclonal Antibodies, Inc.*, 802 F.2d 1367, 1385, 231 USPQ 81, 94 (Fed. Cir. 1986). However, that general, oft-repeated statement is merely a rule of supplementation, not a substitute for a basic enabling disclosure. It means that the omission of minor details does not cause a specification to fail to meet the enablement requirement. However, when there is no disclosure of any specific starting material or any of the conditions under

Art Unit: 1634

which a process can be carried out, undue experimentation is required; there is a failure to meet the enablement requirement that cannot be rectified by asserting that all the disclosure related to the process is within the skill of the art. It is the specification, not the knowledge of one skilled in the art, that must supply the novel aspects of an invention in order to constitute adequate enablement. This specification provides only a starting point, a direction for further research. (Emphasis added)

The nature of the invention.

The invention relates to solid supports used in the production of biochemical arrays. As presently worded, the array may be present on the porous layer, which is placed upon yet another layer, or substrate.

The method does not require the porous layer to be affixed to the substrate.

The breadth of the claims.

The invention encompasses the production of hybridization substrates of virtually any size and dimension, ranging from mesoscale devices, which are on the order of nanometers in length and width, to substrates that are many inches or feet in length and/or width. The moat that is to be collapsed into a porous layer is not required to be affixed to the underlying support. The method requires no feedback or other forms of control so to ensure that the moat does not become a channel that bisects the array, or creates a fluid channel extending on off through the edge of the support, and through which reactants may flow away from the array on the substrate, thereby lending to erroneous results and inoperable devices.

Art Unit: 1634

In view of the breadth of scope claimed, the limited guidance provided, the unpredictable nature of the art to which the claimed invention is directed, and in the absence of convincing evidence to the contrary, the claims are deemed to be non-enabled by the disclosure.

5. Claims 1-6 and 23-332 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claim(s) contains subject matter that was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor(s), at the time the application was filed, had possession of the claimed invention. Attention is directed to the decision in *University of Rochester v. G.D. Searle & Co.* 68 USPQ2D 1424 (Fed. Cir. 2004) at 1428:

To satisfy the written-description requirement, the specification must describe every element of the claimed invention in sufficient detail so that one of ordinary skill in the art would recognize that the inventor possessed the claimed invention at the time of filing. *Vas-Cath*, 935 F.3d at 1563; see also *Lockwood v. American Airlines, Inc.*, 107 F.3d 1565, 1572 [41 USPQ2d 1961] (Fed. Cir. 1997) (patent specification must describe an invention and do so in sufficient detail that one skilled in the art can clearly conclude that “the inventor invented the claimed invention”); *In re Gosteli*, 872 F.2d 1008, 1012 [10 USPQ2d 1614] (Fed. Cir. 1989) (“the description must clearly allow persons of ordinary skill in the art to recognize that [the inventor] invented what is claimed”). Thus, an applicant complies with the written-description requirement “by describing the invention, with all its claimed limitations, not that which makes it obvious,” and by using “such descriptive means as words, structures, figures, diagrams, formulas, etc., that set forth the claimed invention.” *Lockwood*, 107 F.3d at 1572.

6. A review of the disclosure fails to find where any substrate for any hybridization has been made, much less been used in any hybridization reaction. Further, the specification has not been found to set forth in such full, clear, and concise language just how the claimed method is to be practiced where the substrate can be of virtually any dimension, and the substrate materials be of virtually composition. It appears that applicant is attempting to satisfy the written

Art Unit: 1634

description requirement of 35 USC 112, first paragraph, through obviousness. Obviousness, however, cannot be relied upon for satisfaction of the written description requirement. In support of this position, attention is directed to the decision in *University of California v. Eli Lilly and Co.* (Fed. Cir. 1997) 43 USPQ2d at 1405, citing *Lockwood v. American Airlines Inc.* (Fed. Cir. 1997) 41 USPQ2d at 1966:

Recently, we held that a description which renders obvious a claimed invention is not sufficient to satisfy the written description requirement of that invention.

7. For the above reasons, and in the absence of convincing evidence to the contrary, claims 1-6 and 23-332 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement.

8. The following is a quotation of the second paragraph of 35 U.S.C. 112:

The specification shall conclude with one or more claims particularly pointing out and distinctly claiming the subject matter which the applicant regards as his invention.

9. Claims 1-6 and 23-32 are rejected under 35 U.S.C. 112, second paragraph, as being indefinite for failing to particularly point out and distinctly claim the subject matter which applicant regards as the invention.

10. Claim 1 lacks antecedent support for "the porous layer."

11. Claims 1 and 4 are indefinite as to how one "collapses a moat." Seemingly the porous layer is caused to collapse, thereby forming a moat.

12. Claim 2 is confusing where is written "hearing the porous layer."

13. Claim 6 is confusing as to one "positioning an array." Seemingly the array is fabricated on a support with the moat surrounding it.

Art Unit: 1634

14. Claim 23 is indefinite with respect to what constitutes a “thermal path,” and how this element relates to the overall structure of the substrate.

15. Claim 24 is indefinite with respect to how the method, which is a series of active method steps, is being provided with a vacuum head.

16. Claim 28 is indefinite with respect to using “a fourth linear actuator” when there is no first, second, or third linear actuator.

17. Claim 29 is indefinite how the aspect of imaging a substrate constitutes inspecting it when no act or result needs to follow the aspect of imaging. Applicant is urged to consider rewording the claim such that one is inspecting the substrate through camera-derived images of same.

Conclusion

18. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Bradley L. Sisson whose telephone number is (571) 272-0751. The examiner can normally be reached on 6:30 a.m. to 5 p.m., Monday through Thursday.

19. If attempts to reach the examiner by telephone are unsuccessful, the examiner’s supervisor, Ram Shukla can be reached on (571) 272-0735. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Art Unit: 1634

20. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.



Bradley L. Sisson
Primary Examiner
Art Unit 1634

BLS